SAFETY DATA SHEET



1. Identification

Product identifier DM-FLUID-100CS

Other means of identification

Sales Code 0174MJ

Recommended use Fluids, Modified silicone fluids

> Resin modifier, Defoaming agent, Polishing agent,

Powder processing agent,

Water repellent, Textile treatment. Heating medium, Release agent, Cutting oil, Lubricating oil, Hydraulic oil, Damper oil, Cosmetic additive, Paint additive

Recommended restrictions Industrial use only.

Manufacturer/Importer/Supplier/Distributor information

Name Shin-Etsu Silicones of America, Inc.

Address 1150 Damar Drive, Akron, OH 44305 USA

Regulation compliance group Contact

Telephone Number +1-330-630-9860 **Fax Number** +1-330-630-9855

Chemtrec: +1-800-424-9300 (Within US) **Emergency Phone Number**

Chemtrec: +1-703-527-3887 (Outside US)

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None.

Hazard statement Not available.

Precautionary statement

Not available. Prevention Not available. Response Not available. **Storage** Not available. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

None.

Supplemental information

Health: 1 **HMIS®** ratings

Flammability: 1

Physical hazard: 0

Material name: DM-FLUID-100CS SDS US

	3. Composition/information on	ingredients	
Substances			
Chemical name	Common name and synonyms	CAS number	%
Dimethylpolysiloxane		63148-62-9	100
	4. First-aid measures		
nhalation	Under normal conditions of intended use, thi	s material is not expected to be a	n inhalation hazard
Skin contact	Wash skin with soap and water.		
Eye contact	Rinse immediately with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.		
ngestion	Rinse mouth. Get medical attention immedia	itely.	
Most important symptoms/effects, acute and delayed	Not available.		
ndication of immediate nedical attention and special reatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of protect themselves.	the material(s) involved, and take	precautions to
	5. Fire-fighting measur	res	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Car	bon dioxide (CO2).	
Jnsuitable extinguishing nedia	Do not use a solid water stream as it may so	atter and spread fire.	
Specific hazards arising from he chemical	By heating and fire, harmful vapors/gases m	ay be formed.	
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus.		
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
	6. Accidental release mea	sures	
Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipn	nent.	
Methods and materials for containment and cleaning up	Eliminate sources of ignition.		
somanment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.		
	Small Spills: Wipe up with absorbent materia remove residual contamination.	al (e.g. cloth, fleece). Clean surfac	e thoroughly to
	Never return spills in original containers for r	e-use.	
Environmental precautions	Prevent further leakage or spillage if safe to onto the ground.	do so. Avoid discharge into drains	s, water courses or
	7. Handling and stora	ge	
Precautions for safe handling	Provide adequate ventilation. Use adequate ventilation when this product is heated at approximately 150 °C (300 °F) and above in the presence of air. Use care in handling/storage. Do not breathe mist or vapor. Avoid prolonged exposure.		
Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool incompatible materials (see Section 10 of the		
	8. Exposure controls/personal	protection	
Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.		
Biological limit values	No biological exposure limits noted for the in	gredient(s).	

Material name: DM-FLUID-100CS

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Tightly sealed safety glasses according to EN 166.

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection If ventilation is insufficient when heating use chemical respirator with organic vapor cartridge.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. This product can generate formaldehyde at approximately 150 °C (300 °F) and above in the presence of air. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant and potential cancer hazard. So, use adequate ventilation or wear protective equipment such as gloves, goggles, organic vapor respirator or protective clothing when this product is heated at approximately 150 °C (300 °F) and above in the presence of air.

9. Physical and chemical properties

Appearance

Liquid. **Form**

Colorless. Clear. Color

Odorless Odor **Odor threshold** Not available.

рH Not measurable (Refer to water solubility)

Melting point/freezing point No data Initial boiling point and boiling No data

range

> 201.2 °F (> 94 °C) Closed Cup Flash point

> 572 °F (> 300 °C) Open Cup

Negligible (Butyl Acetate=1) **Evaporation rate**

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

No data

(%)

Flammability limit - upper

No data

(%)

No data Explosive limit - lower (%) Explosive limit - upper (%) No data

Vapor pressure Negligible (25 °C) Vapor density Not applicable Relative density 0.97 (25 °C)

Solubility(ies)

Solubility (water) Not soluble (<1ppm)

Partition coefficient No data

(n-octanol/water)

Auto-ignition temperature about 400°C (752°F)

Decomposition temperature Not available.

100 mm2/s (25 °C) **Viscosity**

Other information

No data Molecular weight

10. Stability and reactivity

Reactivity No hazardous reaction known under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Material name: DM-FLUID-100CS 0174MJ Version #: 05 Revision date: 09-09-2021 Issue date: 12-05-2014 Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Strong oxidizing agents.

None known.

Incompatible materials

Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat condition may evolve the following

hazardous decomposition product:

Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide.

Formaldehyde.

11. Toxicological information

Information on likely routes of exposure

No significant effects are expected. Inhalation Skin contact No significant effects are expected. No significant effects are expected. Eye contact No significant effects are expected. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Product Species Test Results

Dimethylpolysiloxane (CAS 63148-62-9)

Acute Oral

LD50 Rat > 5 g/kg (Estimated by similar product)

Skin corrosion/irritation SKIN-RABBIT : No skin irritation (Estimated by similar product)

Serious eye damage/eye

irritation

Not classified.(Rabbit) (Estimated by similar product)

Respiratory or skin sensitization

Respiratory sensitization Not available. Skin sensitization Not available.

Germ cell mutagenicity Negative(Bacteria) (Estimated by similar product) Carcinogenicity No carcinogenicity (Estimated by similar product)

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not available. Specific target organ toxicity -Not available.

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Not available. **Aspiration hazard Chronic effects** Not available.

Further information This product can generate formaldehyde at approximately 150 °C (300 °F) and above in the

presence of air. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant and potential cancer hazard. So, use adequate ventilation or wear protective equipment such as gloves, goggles, organic vapor respirator or protective clothing when this product is

heated at approximately 150 °C (300 °F) and above in the presence of air.

12. Ecological information

Ecotoxicity No ecotoxicity data noted for the ingredient(s).

Material name: DM-FLUID-100CS 0174MJ Version #: 05 Revision date: 09-09-2021 Issue date: 12-05-2014 Persistence and degradability May cause decomposition in dry soils. (Estimated by similar product)

Bioaccumulative potential No bioaccumulation (Estimated by similar product)

Mobility in soilNot available.Mobility in generalNo data available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructions Follow applicable Federal, State and Local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

the IBC Code

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

This product is not intended to be transported in bulk.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 313 (TRI reporting)

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Material name: DM-FLUID-100CS

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 12-05-2014 **Revision date** 09-09-2021

Version # 05

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

NFPA ratings



Disclaimer A number of potentially serious health effects can result from aerosol inhalation of this product.

Take preventive measures such as controlling size of generated particle, ventilation, and respiratory protection when using this product in spray application. Please contact nearby sales representative for further information. This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of

the intended use and determine whether they are appropriate.

This product has been designed, manufactured and developed solely for general industrial use only. This product is not designed for, intended for use as, or suitable for, medical, surgical or other particular purposes. Users have the sole responsibility and obligation to determine the suitability of this product for any application, to make preliminary tests, and to confirm the safety of this product for their use. Users must never use this product for the purpose of implantation into

the human body and/or injection into humans.

Revision information Physical & Chemical Properties: Multiple Properties

Other information, including date of preparation or last revision: References

Material name: DM-FLUID-100CS SDS US