SAFETY DATA SHEET



1. Identification

Product identifier DM-FLUID-A-6CS

Other means of identification

Sales Code GILIS2

Recommended use Silicones for cosmetics

Cosmetic additive

Recommended restrictions Industrial use only.

Manufacturer/Importer/Supplier/Distributor information

Name Shin-Etsu Silicones of America, Inc.

Address 1150 Damar Drive, Akron, OH 44305 USA

Contact Regulation compliance group

Telephone Number +1-330-630-9860 **Fax Number** +1-330-630-9855

Emergency Phone Number Chemtrec: +1-800-424-9300 (Within US)

Chemtrec: +1-703-527-3887 (Outside US)

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise

classified (HNOC)

None known.

None.

Supplemental information HMIS® ratings

Health: 1 Flammability: 1 Physical hazard: 0

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Dimethylpolysiloxane		63148-62-9	100

4. First-aid measures

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Wash skin with soap and water.

Eye contact Rinse immediately with plenty of water for at least 15 minutes. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Get medical attention immediately.

Material name: DM-FLUID-A-6CS

GILIS2 Version #: 07 Revision date: 06-28-2023 Issue date: 12-05-2014

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

Not available.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

By heating and fire, harmful vapors/gases may be formed.

Special protective equipment and precautions for firefighters Fire fighting

Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus.

Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

equipment/instructions

Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Eliminate sources of ignition.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Use adequate ventilation when this product is heated at approximately 150 °C (300 °F) and above in the presence of air. Use care in handling/storage. Do not breathe mist or vapor. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS). Keep in original container.

8. Exposure controls/personal protection

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses according to EN 166.

Skin protection

Hand protection Wear protective gloves.

Other

Wear suitable protective clothing.

Respiratory protection

If ventilation is insufficient when heating use chemical respirator with organic vapor cartridge.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Material name: DM-FLUID-A-6CS SDS US

General hygiene considerations

Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. This product can generate formaldehyde at approximately 150 °C (300 °F) and above in the presence of air. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant and potential cancer hazard. So, use adequate ventilation or wear protective equipment such as gloves, goggles, organic vapor respirator or protective clothing when this product is heated at approximately 150 °C (300 °F) and above in the presence of air.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid.

Colorless. Clear. Color

Odor Odorless **Odor threshold** Not available.

Not measurable (Refer to water solubility)

Melting point/freezing point No data Initial boiling point and boiling

No data

range

> 201.2 °F (> 94 °C) Closed Cup Flash point

345.2 °F (174 °C) Open Cup

Negligible (Butyl Acetate=1) **Evaporation rate**

Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Explosive limit - lower (%) No data

No data

Explosive limit - upper (%) No data

No data

Vapor pressure Negligible (25 °C) Vapor density Not applicable Relative density 0.93 (25 °C)

Solubility(ies)

Not soluble (<1 ppm) Solubility (water)

Partition coefficient

(n-octanol/water)

No data

about 400°C (752°F) Auto-ignition temperature **Decomposition temperature** Not available.

6 mm2/s (25 °C) Viscosity

10. Stability and reactivity

No hazardous reaction known under normal conditions of use, storage and transport. Reactivity

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid None known.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat condition may evolve the following

hazardous decomposition product:

Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide.

Formaldehyde .

11. Toxicological information

Information on likely routes of exposure

Inhalation No significant effects are expected. Skin contact No significant effects are expected.

Material name: DM-FLUID-A-6CS SDS US Eye contact No significant effects are expected. Ingestion No significant effects are expected.

Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

Dimethylpolysiloxane (CAS 63148-62-9)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Essentially nonirritating to skin(P.I.I=0.08) (Rabbit).

Serious eye damage/eye

irritation

EYE-RABBIT: MILD

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization No skin sensitizing(quinea pigs)

Germ cell mutagenicity Negative(Ames Test)

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not available. Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Not available.

Aspiration hazard Not available. **Chronic effects** Not available.

Further information This product can generate formaldehyde at approximately 150 °C (300 °F) and above in the

> presence of air. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant and potential cancer hazard. So, use adequate ventilation or wear protective equipment such as gloves, goggles, organic vapor respirator or protective clothing when this product is

heated at approximately 150 °C (300 °F) and above in the presence of air.

12. Ecological information

Ecotoxicity

Test Results Product Species

Dimethylpolysiloxane

Aquatic

Algae EC50 Algae 1200000 µg/l, 72 hr estimated

Persistence and degradability May cause decomposition in dry soils. (Estimated by similar product)

No bioaccumulation (Estimated by similar product) Bioaccumulative potential

Mobility in soil Not available. Mobility in general No data available. Other adverse effects Not available.

Material name: DM-FLUID-A-6CS SDS US

13. Disposal considerations

Disposal instructions

Follow applicable Federal, State and Local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

This product is not intended to be transported in bulk.

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

۷,

Not regulated.

US state regulations

(SDWA)

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes

Material name: DM-FLUID-A-6CS SDS US

Country(s) or region Inventory name On inventory (yes/no)*

New Zealand **New Zealand Inventory**

Philippine Inventory of Chemicals and Chemical Substances **Philippines** Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

12-05-2014 Issue date 06-28-2023 **Revision date**

Version # ٥7

Health: 1 **HMIS®** ratings

Flammability: 1 Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 1 Instability: 0

NFPA ratings

Revision information



Disclaimer A number of potentially serious health effects can result from aerosol inhalation of this product.

Take preventive measures such as controlling size of generated particle, ventilation, and respiratory protection when using this product in spray application. Please contact nearby sales representative for further information. This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

This product has been designed, manufactured and developed solely for general industrial use only. This product is not designed for, intended for use as, or suitable for, medical, surgical or other particular purposes. Users have the sole responsibility and obligation to determine the suitability of this product for any application, to make preliminary tests, and to confirm the safety of

this product for their use. Users must never use this product for the purpose of implantation into the human body and/or injection into humans.

Toxicological Information: Toxicological Data **Ecological Information: Ecotoxicity**

SDS US 6/6 GILIS2 Version #: 07 Revision date: 06-28-2023 Issue date: 12-05-2014