# SAFETY DATA SHEET



1. Identification

**Product identifier** DM-FLUID-30,000CS

Other means of identification

Sales Code 0279S2

Recommended use Fluids. Modified silicone fluids

> Resin modifier. Defoaming agent, Polishing agent, Release agent, Lubricating oil, Hydraulic oil, Damper oil

Recommended restrictions Industrial use only. Manufacturer/Importer/Supplier/Distributor information

Name Shin-Etsu Silicones of America, Inc.

**Address** 1150 Damar Drive, Akron, OH 44305 USA

Contact Regulation compliance group

**Telephone Number** +1-330-630-9860 +1-330-630-9855 **Fax Number** 

Chemtrec: +1-800-424-9300 (Within US) **Emergency Phone Number** 

Chemtrec: +1-703-527-3887 (Outside US)

## 2. Hazard(s) identification

Not classified. **Physical hazards Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

Prevention Not available. Not available. Response Not available. **Storage** Not available. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

### **Substances**

**Chemical name CAS** number Common name and synonyms % 63148-62-9 Dimethylpolysiloxane 100

### 4. First-aid measures

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Wash skin with soap and water.

Material name: DM-FLUID-30,000CS

Rinse immediately with plenty of water for at least 15 minutes. Get medical attention if irritation Eye contact

develops and persists.

Ingestion

Rinse mouth. Get medical attention immediately.

Most important

symptoms/effects, acute and

delayed

Not available.

Indication of immediate medical attention and special

treatment needed

General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

the chemical

Specific hazards arising from

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use a solid water stream as it may scatter and spread fire.

By heating and fire, harmful vapors/gases may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus.

Move containers from fire area if you can do so without risk.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Wear appropriate personal protective equipment.

Eliminate sources of ignition.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or

onto the ground.

## 7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Use adequate ventilation when this product is heated at approximately 150 degrees C(300'F) and above in the presence of air. Use care in handling/storage. Do not breathe mist or vapor.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS). Keep in original container.

### 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses according to EN 166.

Skin protection

**Hand protection** Wear protective gloves.

0279S2 Version #: 02 Revision date: 07-07-2017 Issue date: 01-08-2016

Other Respiratory protection No special protective equipment required.

Thermal hazards

If ventilation is insufficient when heating use chemical respirator with organic vapor cartridge.

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. This product can generate formaldehyde at approximately 150 °C (300 °F) and above in the presence of air. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant and potential cancer hazard. So, use adequate ventilation or wear protective equipment such as gloves, goggles, organic vapor respirator or protective clothing when this product is heated at approximately 150 °C (300 °F) and above in the presence of air.

## 9. Physical and chemical properties

**Appearance** 

Liquid. **Form** 

Colorless. Clear. Color

Odorless Odor Odor threshold Not available.

Ηq Not measurable (Refer to water solubility)

No data Melting point/freezing point No data Initial boiling point and boiling

range

> 201.2 °F (> 94 °C) Closed Cup Flash point

> 572 °F (> 300 °C) Open Cup

**Evaporation rate** Negligible (Butyl Acetate=1)

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower No data

(%)

Flammability limit - upper

No data

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure Negligible (25 °C) Vapor density Not applicable 0.98 (25 °C) Relative density

Solubility(ies)

Solubility (water) Not soluble (<1 ppm)

**Partition coefficient** (n-octanol/water)

Not available.

**Auto-ignition temperature** 

about 400°C (752°F)

**Decomposition temperature** 

Not available.

30000 mm2/s ( 25 °C ) Viscosity

Other information

Molecular weight No data

## 10. Stability and reactivity

Reactivity No hazardous reaction known under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid None known.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat condition may evolve the following

hazardous decomposition product:

Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide.

Formaldehyde .

Material name: DM-FLUID-30,000CS

0279S2 Version #: 02 Revision date: 07-07-2017 Issue date: 01-08-2016

## 11. Toxicological information

Information on likely routes of exposure

InhalationNo significant effects are expected.Skin contactNo significant effects are expected.Eye contactNo significant effects are expected.IngestionNo significant effects are expected.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

**Acute toxicity** 

Product Species Test Results

Dimethylpolysiloxane (CAS 63148-62-9)

<u>Acute</u> Oral

LD50 Rat > 5 g/kg (Estimated by similar product)

Skin corrosion/irritation SKIN-RABBIT :No skin irritation (Estimated by similar product)

Serious eye damage/eye

irritation

Not classified.(Rabbit) (Estimated by similar product)

Respiratory or skin sensitization

**Respiratory sensitization** Not available. **Skin sensitization** Not available.

Germ cell mutagenicity

Negative(Bacteria) (Estimated by similar product)

Carcinogenicity

No carcinogenicity (Estimated by similar product)

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not available.

Specific target organ toxicity - Not available.

single exposure

Specific target organ toxicity -

repeated exposure

**Further information** 

Not available.

Aspiration hazard Not available.

Chronic effects Not available.

This product can generate formaldehyde at approximately 150 °C (300 °F) and above in the presence of air. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant and potential cancer hazard. So, use adequate ventilation or wear protective equipment such as gloves, goggles,organic vapor respirator or protective clothing when this product is

heated at approximately 150 °C (300 °F) and above in the presence of air.

## 12. Ecological information

**Ecotoxicity** No ecotoxicity data noted for the ingredient(s).

Persistence and degradability May cause decomposition in dry soils. (Estimated by similar product)

Bioaccumulative potential No bioaccumulation (Estimated by similar product)

Mobility in soilNot available.Mobility in generalNo data available.Other adverse effectsNot available.

Material name: DM-FLUID-30,000CS

13. Disposal considerations		
Disposal instructions	Follow applicable Federal, State and Local regulations.	
44 Transport information		

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and This product is not intended to be transported in bulk.

the IBC Code

US federal regulations

15. Regulatory information
This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 313 (TRI reporting)

### **US state regulations**

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

### **US. Massachusetts RTK - Substance List**

Not regulated.

## US. New Jersey Worker and Community Right-to-Know Act

0279S2 Version #: 02 Revision date: 07-07-2017 Issue date: 01-08-2016

## US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

## US. Rhode Island RTK

Not regulated.

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Material name: DM-FLUID-30,000CS

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

۷۵٥

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 01-08-2016

 Revision date
 07-07-2017

Version # 02

**HMIS® ratings** Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

NFPA ratings



Disclaimer

**Revision information** 

A number of potentially serious health effects can result from aerosol inhalation of this product. Take preventive measures such as controlling size of generated particle, ventilation, and respiratory protection when using this product in spray application. Please contact nearby sales representative for further information. This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

This product has been designed, manufactured and developed solely for general industrial use only. This product is not designed for, intended for use as, or suitable for, medical, surgical or other particular purposes. Users have the sole responsibility and obligation to determine the suitability of this product for any application, to make preliminary tests, and to confirm the safety of this product for their use. Users must never use this product for the purpose of implantation into the human body and/or injection into humans.

This document has undergone significant changes and should be reviewed in its entirety.

Material name: DM-FLUID-30,000CS SDS US